



# **SAFETY DATA SHEET**

SECTION 1 IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Identifier PURE GUM TURPENTINE

Other Names Pure turpentine, Wood turpentine, Turpentine oil

Manufacturer's Product Code 16012

**Recommended Use** Paint solvent, paint thinner, solvent, chemical feedstock

**Details of Supplier/Manufacturer** 

Company:	Recochem Inc. ABN: 69 010 485 999
Address:	1809 Lytton Road, Lytton, Queensland 4178, Australia
Phone:	+617 3308 5200 Fax: +617 3308 5201
Website:	www.recochem.com.au

# **Details of Distributor**

Company:	Owens Logistics	
Address:	3-5 Kahu Street, Otahuhu, Auckland	
Phone:	(09) 270 1310 Fax: (09) 270 1311	

# **Emergency Telephone Numbers**

Poisons	0000 764 766	
Information:	0800 764 766	

# SECTION 2 HAZARDS IDENTIFICATION

Hazardous chemical	according to classification by Safe Work Australia
Dangerous goods	according to the Australian Code for the Transport of Dangerous Goods by Road and Rail

Signal Word	DANGER	
-------------	--------	--

GHS Classification	Pictogram	Hazard statement
Flammable Liquids, Category 3	FLAME	H226 Flammable liquid and vapour
Aspiration Hazard, Category 1	HEALTH HAZARD	H304 May be fatal if swallowed and enters airways

Page 1 of 7 ISSUE: 2 ISSUE DATE: 10/06/2015

Acute Toxicity – Oral, Category 4		H302 Harmful if swallowed
Acute Toxicity – Dermal, Category 4	_	H312 Harmful in contact with skin
Acute Toxicity – Inhalation, Category 4		H332 Harmful if inhaled
Skin Corrosion/Irritation, Category 2	EVOLAMETON MARK	H315 Causes skin irritation
Sensitisation – Skin, Category 1	EXCLAMATION MARK	H317 May cause an allergic skin reaction
Serious Eye Damage/Irritation, Category 2A		H319 Causes serious eye irritation
Chronic Aquatic Toxicity, Category 2	ENVIRONMENT	H411 Toxic to aquatic life with long lasting effects

# **Precautionary statements:**

	***************************************
GENERAL	
P101	If medical advice is needed, have product container or label at hand
P102	Keep out of reach of children
P103	Read label before use
PREVENTATIVE	
P210	Keep away from heat/sparks/open flames/hot surfaces. – No smoking
P233	Keep container tightly closed
P240	Ground/bond container and receiving equipment
P241	Use explosion-proof electrical/ventilation/lighting equipment
P242	Use only non-sparking tools
P243	Take precautionary measures against static discharge
P261	Avoid breathing mist/vapours/spray
P264	Wash thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P280	Wear protective gloves/eye protection/face protection
RESPONSE	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302 + P352	IF ON SKIN: Wash with plenty of soap and water
P303 + P361 + P353	IF ON SKIN (or hair): Take off contaminated clothing and wash before reuse. Rinse skin with water/shower
P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Page **2** of **7** ISSUE: 2 ISSUE DATE: 10/06/2015

P312	Call a POISON CENTER or doctor/physician if you feel unwell
P330	Rinse mouth
P331	Do NOT induce vomiting
P332 + P313	If skin irritation occurs: Get medical advice/attention
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P370 + P378	In case of fire: Use foam/water spray/fog for extinction
P391	Collect spillage
STORAGE	
P403 + P235	Store in a well-ventilated place. Keep cool
P405	Store locked up
DISPOSAL	
P501	Dispose of contents/container in accordance with local regulations

# SECTION 3 COMPOSITION AND INFORMATION ON INGREDIENTS

**Ingredients Names and Proportions** 

Chemical Entity	CAS Number	Proportion (%)
Turpentine, Oil	8006-64-2	> 99

# SECTION 4 FIRST AID MEASURES

Description of necessary first aid measures

Inhalation:	Keep victim calm and remove to fresh air if safe to do so. If rapid recovery
	does not occur, transport to nearest medical facility for additional treatment.
	Remove contaminated clothing.
Skin Contact:	If skin contact occurs, remove contaminated clothing and wash skin
	thoroughly with water and follow by washing with soap if available.
Eye Contact:	If in eyes, hold eyes open, flood with water for at least 15 minutes. If irritation
	persists seek medical attention.
Ingestion:	If swallowed, do NOT induce vomiting. Transport to nearest medical facility
	for additional treatment. If vomiting occurs spontaneously, keep head below
	hips to prevent aspiration.

Symptoms caused by exposure

inpromo dadoda by expeditio		
Inhalation:	May cause irritation to the respiratory system, headache, dizziness and nausea.	
Skin:	May include swelling, redness, blistering and dryness.	
Eye:	May include redness and swelling.	
Ingestion:	May cause nausea, vomiting, diarrhoea, abdominal pain, bladder irritation and cenral nervous system depression (Like those of drunkeness).	

# Medical attention and special treatment

Treat symptomatically.

Page **3** of **7** ISSUE: 2 ISSUE DATE: 10/06/2015

#### SECTION 5 FIRE FIGHTING MEASURES

#### Suitable extinguishing equipment

Foam, water spray or fog, dry chemical powder or carbon dioxide. Do not use water in a jet.

# Specific hazards arising from the chemical

Carbon monoxide may be evolved if incomplete combustion occurs. Will float and can be reignited on surface water. Vapour is heavier than air, can spread along ground and distant ignition is possible.

#### Special protective equipment and precautions for fire fighters

Wear full protective clothing and self-contained breathing apparatus. Hazchem code 3Y.

#### SECTION 6 ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Avoid contact with spilled or released material. Shut off leaks, if possible without personal risks. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Remove all sources of ignition in the surrounding area. Take precautionary measure against static discharge. Ensure electrical continuity by bonding and earthing all equipment.

#### **Environmental precautions**

Use appropriate containment to avoid environmental contamination. Prevent from spreading and entering waterway using sand, earth or other appropriate barriers. Attempt to disperse the vapour or to direct its flow to a safe location for example by using fog sprays. Ventilate contaminated area thoroughly.

#### Methods and materials for containment and cleaning up

For small spills (< 1 drum), transfer by mechanical means to a labelled, sealable container for product recovery or safe disposal. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely.

For larger spills (> 1 drum), transfer by means such as a vacuum truck to a salvage tank for recovery or disposal. Do not flush residues with water. Retain as contaminated waste. Allow any residues to evaporate or use an appropriate absorbent material and dispose of safely.

#### SECTION 7 HANDLING AND STORAGE

# Precautions for safe handling

Flammable product. Avoid breathing vapours. Handle and open containers with care in a well-ventilated area. Ensure that the workplace is ventilated such that the Occupational Exposure limit is not exceeded. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not eat, drink or smoke in contaminated areas. Electrostatic charges may be generated during transfer. Electrostatic discharge may cause fire. Ensure electrical continuity by earthing all equipment. Flameproof equipment necessary in area where chemical is being used. Vapours may accumulate in low or confined areas.

#### Conditions for safe storage, including any incompatibilities

Store in a well-ventilated area, away from sunlight, ignition sources and other sources of heat. Do not store near strong oxidants.

# SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

#### **Exposure control measures**

From National Occupational Health & Safety Commission (NOHSC) Worksafe Australia - Turpentine, Oil: 557mg/m³ (100ppm) TWA (8hr)

#### **Biological monitoring**

No biological limit allocated.

#### **Engineering controls**

Ensure that adequate ventilation is provided. Maintain air concentrations below recommended exposure standards. Avoid generating and inhaling mists and vapours. Keep containers closed when not in use.

Page **4** of **7** ISSUE DATE: 10/06/2015

Individual protection measures

Eye and face protection:	Wear safety goggles.
Skin protection:	Use solvent resistant gloves, nitrile for longer term protection or PVC and neoprene for incidental splashes.
Respiratory protection:	If work practices do not maintain airborne level below the exposure standard, use appropriate respiratory protection equipment. When using respirators, select an appropriate combination of mask and filter. Select a filter for organic gases and vapours (boiling point > 65°C). Respirators should comply with AS1716 or an equivalent approved by a state/territory authority.
Thermal hazards:	Not applicable.

#### **SECTION 9** PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Colourless liquid
Odour:	Characteristic
Odour threshold (ppm):	Data not available
pH:	Data not available
Melting point/freezing point (°C):	Data not available
Initial boiling point and boiling range (°C):	> 150
Flash point (°C):	35 (Abel)
Evaporation rate (Butyl acetate = 1):	Data not available
Flammability:	Flammable
Upper/lower flammability or explosive limits (%):	Data not available
Vapour pressure (kPa @ 20°C):	Data not available
Vapour density (air = 1 @ 15°C):	> 1
Density (g/ml @ 15°C):	0.86
Solubility (kg/m³):	Not miscible with water
Partition coefficient: n-octanol/water:	Data not available
Auto-ignition temperature (°C):	Typical 253
Decomposition temperature (°C):	Data not available
Kinematic viscosity (mm²/s @ 25°C):	Data not available

# SECTION 10 STABILITY AND REACTIVITY

# Reactivity

Stable under normal conditions of use.

# **Chemical stability**

Stable under normal conditions of use.

Possibility of hazardous reactions
Stable under normal conditions of use.

Page **5** of **7** ISSUE DATE: 10/06/2015 ISSUE: 2

#### **Conditions to avoid**

Avoid heat, sparks, open flames and other ignition sources.

# Incompatible materials

Strong oxidising agents.

# **Hazardous decomposition products**

Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids, gases, including carbon monoxide, carbon dioxide and other organic compounds will be evolved when this material undergoes combustion or thermal or oxidative degradation.

# SECTION 11 TOXICOLOGICAL INFORMATION

Acute toxicity:	Data not available
Skin corrosion/irritation:	Irritant. Prolonged contact may cause defatting of skin which can lead to dermatitis. Can be absorbed through the skin with resultant adverse effects.
Serious eye damage/irritation:	Irritant.
Respiratory or skin sensitisation:	A skin sensitiser.
Germ cell mutagenicity:	Not expected to be mutagenic.
Carcinogenicity:	Not expected to be carcinogenic.
Reproductive toxicity:	Not expected to impair fertility.
Specific Target Organ Toxicity (STOT) – single exposure:	Data not available
Specific Target Organ Toxicity (STOT) – repeated exposure:	Data not available
Aspiration hazard:	Aspiration into the lungs when swallowed or vomited may cause chemical pneumonitis which can be fatal.

# SECTION 12 ECOLOGICAL INFORMATION

# **Ecotoxicity**

Acute toxicity:

Fish –	Expected to be toxic
Aquatic invertebrate –	Expected to be toxic
Algae –	Expected to be toxic
Microorganisms –	Expected to be toxic

# Chronic toxicity:

Fish –	Data not available
Aquatic invertebrate –	Data not available
Algae –	Data not available
Microorganisms –	Data not available

Page **6** of **7** ISSUE: 2 ISSUE DATE: 10/06/2015

#### Persistence and degradability

Readily biodegradable. Oxidises by photo-chemical reactions in air.

#### Bioaccumulative potential

Has the potential to bioaccumulate.

#### Mobility in soil

Floats on water.

#### Other adverse effects

Data not available.

# SECTION 13 DISPOSAL CONSIDERATIONS

Ensure waste disposal conforms to local waste disposal regulations.

# **SECTION 14 TRANSPORT INFORMATION**

UN number:	1299
Proper shipping name:	Turpentine
Australian Dangerous Goods class:	3
Australian Dangerous Goods packing group:	III
Hazchem code:	3Y

#### **SECTION 15 REGULATORY INFORMATION**

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP), Poisons Schedule:	5
Australian Inventory of Chemical Substances (AICS):	Listed
Dangerous Goods Initial Emergency Response Guide (SAA/SNZ HB76):	14
New Zealand HSNO, Classification:	HSR001233 Classification - 3.1C, 6.1D (oral, dermal and inhalation), 6.3A, 6.4A, 6.5B (contact), 9.1C (crustacean)

# **SECTION 16 OTHER INFORMATION**

Date of preparation:	10/06/2015
Revision number:	2
Changes in this revision:	Update to GHS SDS standard

This MSDS summarises product safety information at the date of issue, to the best of our knowledge, as a general guide. Recochem cannot anticipate or control the conditions under which the product is used, so prior to usage each user must assess and control the risks associated with their use of the product. Users should also consult the relevant legislation governing the use and storage of this product. We make no warranties, express or implied, and assume no liability in connection with any use of information contained within this document. If clarification or further information is needed, the user should contact Recochem on +617 3308 5200.

Page **7** of **7** ISSUE: 2 ISSUE DATE: 10/06/2015