



ZINCTM GUARD

PRODUCT GUIDE



**GUARD
AGAINST CORROSION**

INTRODUCTION

ZINC GUARD™

Dy-Mark Zinc Guard™ metal protection range has been specially designed to provide superior coverage and protection on all metal surfaces. This comprehensive range offers a wide selection of industrial grade metal coatings featuring advanced formula to provide a tough barrier against corrosion.

The high performance formulas of **Zinc Guard™** products make this range the ultimate 'all-rounder' for preserving and protecting both new and old metal surfaces. Featuring premium adhesion properties and quick drying times, **Zinc Guard™** metal protection range presents the ultimate choice of products which have been tested to endure the harsh Australian environment.

Zinc Guard™ metal protection range includes: Cold Galvanising Coating, Silver Bright, Silver Zinc, Etch Primer, Rust Reformer, Primers, Single Pack Epoxy Enamel and Quick Dry Enamel.

The coating that these products provide is incredibly tough and extremely resistant to abrasion and impact, delivering timeless results with every application.

For any metal protection job, Guard Against Corrosion with **Dy-Mark Zinc Guard™** metal protection range.



CONTENTS

- 3 QUICK DRY ENAMEL
- 5 COLD GALVANISING COATING AEROSOL
- 6 COLD GALVANISING COATING BULK
- 7 SILVER ZINC
- 8 SILVER BRIGHT
- 9 APPLICATION GUIDE
- 11 ETCH PRIMER
- 12 PRIMER
- 13 SINGLE PACK EPOXY ENAMEL
- 15 RUST REFORMER
- 16 METAL PROTECTION GUIDE

QUICK DRY ENAMEL



KEY FEATURES

- ⊗ Quick drying top coat (touch dry in 10-15 minutes)
- ⊗ Protect surfaces against rust whilst providing superior coverage with a durable finish
- ⊗ Ideal for both internal and external applications
- ⊗ Suitable for use on: fences, gates, doors, letterboxes, fabricated steel, brackets, trailers, factory equipment and machinery

Size: 325g

SUITABLE SURFACES

- Pre-painted metal surfaces
- Wrought iron
- Aluminium*
- Zincoalume®*
- Steel
- Galvanised iron*
- Alloys*
- Stainless steel*

*Use Dy-Mark Zinc Guard™ Etch Primer for superior adhesion



3



| Zinc Guard™ Quick Dry Enamel Finish/Colour | Qty | Product Code |
|--|-----|--------------|
| ■ Flat Black | 12 | 230932101 |
| ■ Satin Black | 12 | 230932201 |
| □ Gloss Clear | 12 | 230932300 |
| ■ High Gloss Black | 12 | 230932301 |
| ■ Gloss Signal Red R13 | 12 | 230932302 |
| ■ Gloss Ocean Blue | 12 | 230932303 |
| ■ Gloss Brunswick Green | 12 | 230932304 |
| ■ Gloss Golden Yellow Y14 | 12 | 230932305 |
| ■ Gloss Primrose | 12 | 230932309 |
| □ Silver | 12 | 230932310 |
| □ High Gloss White | 12 | 230932311 |
| ■ Gloss Pewter Grey N63 | 12 | 230932313 |

4

COLD GALVANISING COATING



KEY FEATURES

- Zinc rich, high performance, heavy duty corrosion inhibitive primer
- Contains 91% zinc in dry film
- Used extensively in metal fabrication
- Provides superior galvanic protection to new weld joints
- Ideal as weld through primer

Size: 400g

PRODUCT CODE: 230732006

- Matt grey finish

SUITABLE SURFACES

- Steel
- Galvanised iron
- Wrought iron



5

COLD GALVANISING COATING



KEY FEATURES

- Zinc rich, high performance, heavy duty corrosion inhibitive primer
- Contains 91% zinc in dry film
- Used extensively in metal fabrication
- Provides superior galvanic protection to new weld joints
- Ideal as weld through primer

APPLICATION

Brush/Roller and conventional spraying.

Size: 500ml, 1L & 4L

PRODUCT CODE:

500ml: 230731050, 1L: 230731100, 4L: 230731400

- Matt grey finish

SUITABLE SURFACES

- Steel
- Galvanised iron
- Wrought iron



6

SILVER ZINC



KEY FEATURES

- Fast drying
- Epoxy based metallic zinc coating
- Provides excellent adhesion, corrosion, resistance and long lasting durability to metal surfaces
- Dual-action, anti-corrosive primer and top coat in one step application

Size: 400g

PRODUCT CODE: 230732008

- Metallic silver finish

SUITABLE SURFACES

- Steel
- Galvanised iron*
- Aluminium*
- Zinalume®*
- Wrought iron
- Non-ferrous metals*
- Alloys*
- Stainless Steel*

*Use Dy-Mark Zinc Guard™ Etch Primer for superior adhesion



7

SILVER BRIGHT



KEY FEATURES

- Anti-corrosive silver paint
- Designed to match the bright finish of hot dip galvanising
- Provides a tough and durable finish to steel and iron
- Ideal for industrial applications
- Suitable for use as a top coat over Dy-Mark Zinc Guard™ Cold Galvanising Coating

Size: 350g

PRODUCT CODE: 230732007

- Bright metallic lustre finish

SUITABLE SURFACES

- Steel
- Iron
- Non-ferrous metals*

*Use Dy-Mark Zinc Guard™ Etch Primer for superior adhesion



8

APPLICATION GUIDE



| Product | Size | Condition | | | Surface Type | Finish & Colour |
|--|---------------------|------------------------------|----------------------|---------------------------------|----------------------|---|
| | | New Steel | Rusted Steel | Previously Painted Old Surfaces | | |
| Dy-Mark General Purpose Thinner | 1L, 4L | Clean | Clean | Clean | Clean | |
| Zinc Guard™ Cold Galvanising Coating | 400g, 500ml, 1L, 4L | Protect & Prime | | | | Matt, Grey |
| Zinc Guard™ Primers (Red, White, Grey) | 350g | Prime | | Prime | | Matt, (Red, Grey, White) |
| Zinc Guard™ Etch Primer | 325g | Prime | | Prime | Prime | Matt, Grey |
| Zinc Guard™ Rust Reformer | 350g | | Protect & Prime | | | Matt, Black |
| Zinc Guard™ Silver Zinc | 400g | Prime & Top Coat Protection* | | Prime & Top Coat Protection* | Top Coat Protection* | Metallic Silver, Silver |
| Zinc Guard™ Silver Bright | 350g | Top Coat Protection* | Top Coat Protection* | Top Coat Protection* | Top Coat Protection* | Bright Metallic Lustre, Silver |
| Zinc Guard™ Single Pack Epoxy Enamel | 325g | Top Coat Protection* | Top Coat Protection* | Top Coat Protection* | Top Coat Protection* | 15 colours, Gloss & Flat (12 Standard, 1 Aluminium, 2 Flat colours) |
| Zinc Guard™ Quick Dry Enamel | 325g | Top Coat Protection* | Top Coat Protection* | Top Coat Protection* | Top Coat Protection* | 12 colours (Gloss, Flat & Satin) |

Clean

Ensure the metal surface is clean and free from contaminants by using Dy-Mark General Purpose Thinner and a wire brush.

Protect & Prime

Protect surfaces from rust with an anti-corrosive paint coating.

Prime

Use appropriate primers from our range for each application to ensure optimal adhesion of Top Coat Protection to steel.

Prime & Top Coat Protection

Dual action of priming and top coating the material.

Top Coat Protection

A range of paints that provide specific top-coating solutions.

**For superior protection and adhesion, use appropriate Primers.*

ETCH PRIMER



KEY FEATURES

- Provides excellent adhesion for metal surfaces that are difficult to bond to
- Protects against corrosion
- Fast dry product
- Suitable for use on aluminium, galvanised iron, new steel, alloys and non-ferrous metals

Size: 325g

PRODUCT CODE: 230732001

- Matt grey finish

SUITABLE SURFACES

- Aluminium
- New steel
- Alloys
- Galvanised iron
- Zinalume®



11

PRIMER



KEY FEATURES

- Quality primer range for clean and rusty metal surfaces
- Forms a tough barrier against corrosion
- Excellent adhesion properties
- Superior coverage for industrial use
- Ideal for top coating with Dy-Mark's enamel range of products
- Suitable for use on wrought iron railings, fences and gates.

Size: 350g

PRODUCT CODE:

- Red 230732002
- White 230732003
- Grey 230732004

SUITABLE SURFACES

- Steel
- Iron



12

SINGLE PACK EPOXY ENAMEL



KEY FEATURES

- High build self-priming top coat
- Advanced zinc anti-corrosive formula for industrial use
- Provides a durable, long lasting finish
- Greater UV resistance
- Exceptional gloss levels
- Toluene-free / anti-chroming
- Suitable for use on: fences, gates, doors, letterboxes, fabricated steel, brackets, trailers, factory equipment and machinery

Size: 325g

SUITABLE SURFACES

- Pre-painted metal surfaces
- Steel
- Wrought iron
- Galvanised iron*
- Aluminium*
- Alloys*
- Zinalume®*
- Stainless steel*

*Use Dy-Mark Zinc Guard™ Etch Primer for superior adhesion



13



| Zinc Guard™ Single Pack Epoxy Finish/Colour | Qty | Product Code |
|---|-----|--------------|
| ■ Gloss Black | 12 | 230732301 |
| □ Gloss White | 12 | 230732311 |
| ■ Gloss Signal Red R13 | 12 | 230732302 |
| ■ Gloss Deep Ocean | 12 | 230732303 |
| ■ Gloss Cottage Green | 12 | 230732304 |
| ■ Gloss Golden Yellow Y14 | 12 | 230732305 |
| ■ Gloss Classic Cream | 12 | 230732309 |
| □ Gloss Aluminium | 12 | 230732310 |
| ■ Gloss Machine Grey | 12 | 230732313 |
| □ Flat White | 12 | 230732111 |
| ■ Gloss Orange X15 | 12 | 230732317 |
| ■ Flat Black | 12 | 230732101 |
| ■ Flat Ultramarine B21 | 12 | 230732314 |
| ■ Gloss Jade G21 | 12 | 230732315 |
| ■ Gloss Deep Indian Red R64 | 12 | 230732316 |

14

RUST REFORMER



KEY FEATURES

- ⦿ Chemically converts rust on metal surfaces into a tough barrier against further corrosion
- ⦿ Dries to a flat, black finish within 40 minutes
- ⦿ Suitable as a stand-alone finish and can also be top-coated if necessary
- ⦿ Can be sanded after 3 hours

Size: 350g

PRODUCT CODE: 230732005

- Flat black finish

SUITABLE SURFACES

- All rusty metal surfaces such as steel and iron.

NOT recommended for galvanised iron.



15

ZINC GUARD™


METAL PROTECTION

| Product Description | Finish/Colour | Size | Product Code |
|--------------------------------------|--|-------------------|--|
| Zinc Guard™ Cold Galvanising (Bulk) | ■ Matt Grey | 500ml 1L 4L | 230731050 230731100 230731400 |
| Zinc Guard™ Silver Zinc | ■ Metallic Silver | 400g | 230732008 |
| Zinc Guard™ Etch Primer | ■ Matt Grey | 325g | 230732001 |
| Zinc Guard™ Red Primer | ■ Red | 350g | 230732002 |
| Zinc Guard™ White Primer | □ White | 350g | 230732003 |
| Zinc Guard™ Grey Primer | ■ Grey | 350g | 230732004 |
| Zinc Guard™ Rust Reformer | ■ Flat Black | 350g | 230732005 |
| Zinc Guard™ Silver Bright | □ Bright Metallic Lustre | 350g | 230732007 |
| Zinc Guard™ Cold Galvanising | ■ Matt Grey | 400g | 230732006 |
| Zinc Guard™ Single Pack Epoxy Enamel | ■ Gloss Black □ Gloss White | 325g | 230732301 230732311 |
| | ■ Gloss Signal Red R13 | | 230732302 |
| | ■ Gloss Deep Ocean | | 230732303 |
| | ■ Gloss Cottage Green | | 230732304 |
| | ■ Gloss Golden Yellow Y14 | | 230732305 |
| | ■ Gloss Classic Cream | | 230732309 |
| | □ Aluminium | | 230732310 |
| | ■ Gloss Machine Grey | | 230732313 |
| | □ Flat White | | 230732111 |
| | ■ Gloss Orange X15 | | 230732317 |
| | ■ Flat Black | | 230732101 |
| | ■ Gloss Ultramarine B21 | | 230732314 |
| | ■ Gloss Jade G21 | | 230732315 |
| | ■ Gloss Deep Indian Red R64 | | 230732316 |
| Zinc Guard™ Quick Dry Enamel | ■ Flat Black ■ Satin Black □ Gloss Clear ■ High Gloss Black | 325g | 230932101 230932201 230932300 230932301 |
| | ■ Gloss Signal Red R13 | | 230932302 |
| | ■ Gloss Ocean Blue | | 230932303 |
| | ■ Gloss Brunswick Green | | 230932304 |
| | ■ Gloss Golden Yellow Y14 | | 230932305 |
| | ■ Gloss Primrose | | 230932309 |
| | □ Silver | | 230932310 |
| | □ High Gloss White | | 230932311 |
| | ■ Gloss Pewter Grey N63 | | 230932313 |

16



For further technical information including **TDS** and **SDS**, scan the QR codes located on the back of can or please visit:
www.dymark.com.au



ZiNC GUARD™

QUICK DRY ENAMEL



The **Zinc Guard™** metal protection range has been specially designed to provide superior coverage and protection on all metal surfaces. The newest addition to this specialty range is; **Zinc Guard™ Quick Dry Enamel**. This quick drying topcoat not only protects surfaces against rust but also provides superior coverage with a durable finish.

Zinc Guard™ Quick Dry Enamel is suitable for use on all metal surfaces such as; fences, gates, doors, letterboxes, fabricated steel, brackets, trailers, factory equipment and machinery. For any metal protection job, **Guard Against Corrosion with Dy-Mark Zinc Guard™** metal protection range.

For more information:
 Ph: 1300 396 275 • Fax: 1300 360 440
 E-mail: sales@dymark.com.au • Web: www.dymark.com.au





ZINCTM GUARD



Ph: 1300 396 275 • Fax: 1300 360 440
 sales@dymark.com.au • www.dymark.com.au